

# The Preparticipation Sports Evaluation

MARK H. MIRABELLI, MD, and MATHEW J. DEVINE, DO, *University of Rochester Medical Center, Rochester, New York*  
JASKARAN SINGH, MD, *Brampton, Ontario*

MICHAEL MENDOZA, MD, MPH, MS, *University of Rochester Medical Center, Rochester, New York*

The preparticipation physical evaluation is a commonly requested medical visit for amateur and professional athletes of all ages. The overarching goal is to maximize the health of athletes and their safe participation in sports. Although studies have not found that the preparticipation physical evaluation prevents morbidity and mortality associated with sports, it may detect conditions that predispose the athlete to injury or illness and can provide strategies to prevent injuries. Clearance depends on the outcome of the evaluation and the type of sport (and sometimes position or event) in which the athlete participates. All persons undergoing a preparticipation physical evaluation should be questioned about exertional symptoms, presence of a heart murmur, symptoms of Marfan syndrome, and family history of premature serious cardiac conditions or sudden death. The physical examination should focus on the cardiovascular and musculoskeletal systems. U.S. medical and athletic organizations discourage screening electrocardiography and blood and urine testing in asymptomatic patients. Further evaluation should be considered for persons with heart or lung disease, bleeding disorders, musculoskeletal problems, history of concussion, or other neurologic disorders. (*Am Fam Physician*. 2015;92(5):371-376. Copyright © 2015 American Academy of Family Physicians.)



More online  
at <http://www.aafp.org/afp>.

► See related editorials  
on p. 338 and p. 343.

**CME** This clinical content  
conforms to AAFP criteria  
for continuing medical  
education (CME). See  
CME Quiz Questions on  
page 336.

Author disclosure: No rel-  
evant financial affiliations.

Approximately 30 million athletes younger than 18 years and another 3 million athletes with special needs receive medical clearance to participate in sports every year.<sup>1</sup> The purpose of the preparticipation physical evaluation (PPE) is to maximize the health of athletes and their safe participation in sports. The most comprehensive guideline on the PPE is the 4th edition of the American Academy of Pediatrics' PPE recommendations, which contains consensus recommendations and has been endorsed by multiple stakeholder medical societies.<sup>2</sup> Although studies have not found that the PPE prevents morbidity and mortality associated with sports participation,<sup>2</sup> it may detect conditions that predispose the athlete to injury or illness and can provide strategies to prevent injuries.<sup>3</sup>

Ideally, the athlete's personal physician should provide the PPE in a medical home where patients are comfortable discussing sensitive information and where past medical records are available. Alternate models include mass participation screenings and PPEs conducted by a team physician at a student health, outpatient, or athletic facility. Mass screenings are not ideal, given the unavailability of parents and previous medical records, and decreased continuity of care. Supervision of mass screenings

by a designated primary care physician can improve this process by ensuring that all results are reviewed and by coordinating follow-up when necessary. PPEs should occur approximately six weeks before activity to allow for further evaluation, treatment, or rehabilitation as needed.<sup>4</sup> Consensus guidelines recommend yearly PPEs<sup>2</sup>; however, the optimal interval is uncertain, and local regulatory agencies may require more or less frequent PPEs for athletic participation.<sup>5</sup>

## General Principles

The examining physician should determine clearance for participation in coordination with specialists or team physicians. Clearance depends on the outcome of the evaluation and the type of sport (and sometimes position or event) in which the athlete wishes to participate. Most healthy athletes will receive unrestricted clearance to play any sport. An athlete may be provisionally cleared pending successful completion of a specified treatment, test, or rehabilitation program.

For athletes restricted from certain sports, guidance should be provided based on the general category of the sport. Sports may be classified as collision, contact, or noncontact activities or classified based on physical intensity (*Figure 1*).<sup>6</sup> The risk of injury

## SORT: KEY RECOMMENDATIONS FOR PRACTICE

| <i>Clinical recommendation</i>                                                                                                                                                                                                                        | <i>Evidence rating</i> | <i>References</i> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------|
| Preparticipation physical evaluations should occur approximately six weeks before activity to allow for further evaluation, treatment, or rehabilitation as needed.                                                                                   | C                      | 4                 |
| All persons undergoing preparticipation physical evaluations should be questioned about exertional symptoms, the presence of a heart murmur, symptoms of Marfan syndrome, and family history of premature serious cardiac conditions or sudden death. | C                      | 13, 16            |
| Athletes with sustained systolic blood pressure of less than 160 mm Hg and diastolic blood pressure of less than 100 mm Hg should not be restricted from playing sports.                                                                              | C                      | 25                |
| Athletes with well-controlled asthma who are asymptomatic at rest and with exertion can be safely cleared to play sports.                                                                                                                             | C                      | 26                |
| Screening blood and urine tests are not recommended for asymptomatic athletes.                                                                                                                                                                        | C                      | 37                |

*A = consistent, good-quality patient-oriented evidence; B = inconsistent or limited-quality patient-oriented evidence; C = consensus, disease-oriented evidence, usual practice, expert opinion, or case series. For information about the SORT evidence rating system, go to <http://www.aafp.org/afpsort>.*

### Classification of Sports by Physical Intensity

The rights holder did not grant the American Academy of Family Physicians the right to sublicense this material to a third party. For the missing item, see the original print version of this publication.

*Adapted with permission from Mitchell JH, Haskell W, Snell P, Van Camp SP. Task Force 8: classification of sports. J Am Coll Cardiol. 2005;45(8):1366.*

depends on the following variables: speed, force of impact, height, and unpredictability of both the actions of the sport and conditions. Even persons with serious medical illness may be able to participate in nonstrenuous or noncontact activities. Rarely, athletes may be disqualified completely from participation (*Table 1*).<sup>7</sup> A 2012 study found that 5.5% of adolescents were deemed ineligible for sports.<sup>8</sup> *eFigures A through D* outline a standardized approach to components of the PPE, including a supplemental history form that can be used for athletes who have special needs.

### History

A thorough history is critical to identify athletes with underlying medical conditions that may interfere with participation in sports. The history alone may uncover 88% of medical conditions and 67% of musculoskeletal problems during the PPE.<sup>9</sup> Particular attention should be given to the personal and family cardiac histories (*Table 2*).<sup>10</sup> Ideally, a parent or guardian should be present at the PPE to provide historical details for athletes younger than 18 years.

All persons undergoing a PPE should be questioned

**Table 1. Contraindications for Sports Participation**


---

|                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Active myocarditis or pericarditis                                                                                                                                                                                                                                                 |
| Acute enlargement of spleen or liver                                                                                                                                                                                                                                               |
| Eating disorder in which athlete is not compliant with therapy and follow-up, or when there is evidence of diminished performance or potential injury because of the eating disorder                                                                                               |
| History of recent concussion and symptoms of postconcussion syndrome (no contact or collision sports)                                                                                                                                                                              |
| Hypertrophic cardiomyopathy                                                                                                                                                                                                                                                        |
| Long QT syndrome                                                                                                                                                                                                                                                                   |
| Poorly controlled convulsive disorder (no archery, riflery, swimming, weight lifting or powerlifting, strength training, or sports involving heights)                                                                                                                              |
| Recurrent episodes of burning upper-extremity pain or weakness, or episodes of transient quadriplegia until stability of cervical spine can be assured (no contact or collision sports)                                                                                            |
| Severe hypertension until controlled by therapy (static resistance activities, such as weight lifting, are particularly contraindicated)                                                                                                                                           |
| Sickle cell disease (no high-exertion, contact, or collision sports)                                                                                                                                                                                                               |
| Suspected coronary artery disease until fully evaluated (patients with impaired resting left ventricular systolic function less than 50%, exercise-induced ventricular dysrhythmias, or exercise-induced ischemia on exercise stress testing are at greatest risk of sudden death) |

---

*Adapted with permission from Kurowski K, Chandran S. The preparticipation athletic evaluation. Am Fam Physician. 2000;61(9):2688.*

**Table 2. American Heart Association Recommendations on Screening for Cardiovascular Abnormalities in Competitive Athletes**


---

**The rights holder did not grant the American Academy of Family Physicians the right to sublicense this material to a third party. For the missing item, see the original print version of this publication.**

---

*Adapted with permission from Maron BJ, Thompson PD, Ackerman MJ, et al. Recommendations and considerations related to preparticipation screening for cardiovascular abnormalities in competitive athletes: 2007 update: a scientific statement from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism. Circulation. 2007;115(12):1646.*

using the American Heart Association's (AHA's) recommended inquiries about exertional symptoms, the presence of a heart murmur, symptoms of Marfan syndrome, and a family history of premature serious cardiac conditions or sudden death.<sup>10</sup> Other inquiries about potentially life-threatening or disqualifying illnesses include a history or symptoms compatible with spinal and brachial plexus injuries, concussion, hematologic disorders, loss of paired organs, asthma or exercise-induced bronchospasm, neurologic disorders, heat illness, and musculoskeletal injuries.

### Physical Examination

At minimum, the physical examination should include assessment of vital signs, vision, hearing, and the cardiovascular and musculoskeletal systems. The most common abnormal PPE findings are elevated blood pressure and vision problems.<sup>11</sup> Genital examination is not

recommended in females but may be indicated in males with symptoms or a history of genitourinary problems. Although a brief standardized orthopedic screening is adequate in asymptomatic athletes (see <http://www.aafp.org/afp/2000/0501/p2696.html>), a more focused physical examination is necessary in persons with a history of musculoskeletal injury.<sup>11</sup>

### Special Considerations CARDIOVASCULAR DISEASE

The 36<sup>th</sup> Bethesda guidelines, a consensus statement published by the American College of Cardiology (ACC) and the AHA, include recommendations about eligibility based on the physical strenuousness of the sport for competitive athletes who have previously diagnosed cardiac conditions.<sup>12</sup> For example, the guidelines permit persons with known hypertrophic cardiomyopathy to

participate in low-intensity activities, but recommend exclusion from most strenuous activities.<sup>12</sup>

Screening asymptomatic athletes for previously undetected heart conditions, such as hypertrophic cardiomyopathy or arrhythmogenic right ventricular dysplasia, is recommended by the ACC/AHA guidelines, but the optimal protocol and overall effectiveness are controversial.<sup>13-15</sup> As currently used, the PPE has not been successful in decreasing rates of sudden cardiac death during sports in young athletes.<sup>16,17</sup> Screening electrocardiography (ECG) and echocardiography may increase sensitivity for detection of undiagnosed cardiac disease,<sup>18</sup> but accurate interpretation can be challenging and may result in false-positive findings when performed by clinicians who are less experienced in distinguishing athletic heart adaptations from cardiomyopathy.<sup>19</sup> The ACC/AHA guidelines do not recommend ECG in asymptomatic patients during physical examination, but do support local programs in which ECG can be applied with high-quality cardiology resources.<sup>10,20</sup> In contrast, the International Olympic Committee<sup>21</sup> and the European Society of Cardiology recommend routine screening ECG,<sup>13</sup> and this practice is becoming more common in professional sports<sup>22</sup> and in the community setting.

Recently, the Seattle criteria were proposed to help physicians interpret screening ECG in athletes with the goals of identifying abnormalities that likely represent serious cardiac pathology and reducing false-positive interpretations.<sup>23</sup> Although these criteria have improved the specificity of ECG and may be useful to physicians who are asked to interpret screening ECG in athletes, they have not been prospectively evaluated for decreasing morbidity.<sup>24</sup>

Because exercise is therapeutic for persons with hypertension, athletes with sustained systolic blood pressure of less than 160 mm Hg and diastolic blood pressure of less than 100 mm Hg should not be restricted from sports.<sup>25</sup> Athletes with higher blood pressures benefit from further evaluation and initiation of treatment before unrestricted clearance is provided.

### ORTHOPEDIC AND MUSCULOSKELETAL INJURIES

Patients with known orthopedic injuries should undergo a thorough joint-specific examination. Strict return-to-play timelines (e.g., two weeks after an ankle sprain) are counterproductive; injuries should be treated and cleared on a functional basis. Generally, if the athlete has no disabling pain, full range of motion, and full strength in the affected area, and is able to pass functional tests in a supervised sports setting, clearance can be provided after a PPE, barring other contraindications.

### ASTHMA AND EXERCISE-INDUCED BRONCHOSPASM

Patients with a history of asthma should be risk stratified based on their history. Standard classification of asthma as mild intermittent, mild persistent, moderate, or severe can help guide decisions. An understanding of asthma triggers is also essential, especially for exercise-induced bronchospasm. Athletes with well-controlled asthma who are asymptomatic at rest and with exertion can be safely cleared after a PPE.<sup>26</sup> Pulmonary function testing should be considered for patients with a historical diagnosis of exercise-induced bronchospasm to exclude undiagnosed asthma. Athletes who are actively wheezing or recovering from an asthma exacerbation should be restricted from participation until symptoms have stabilized. Physicians may require athletes to have a rescue inhaler immediately available as a condition for athletic participation.

### EPILEPSY

Persons with well-controlled seizures can participate in sports.<sup>27</sup> Exceptions include sports in which a seizure could be fatal, such as skydiving, hang gliding, and scuba diving.

### CONCUSSION

In athletes with a history of concussion, physicians should determine the number of concussions they have had; their duration, frequency, and recovery time; and risk factors.<sup>28</sup> A complete neurologic examination should be performed. Athletes with signs and symptoms of concussion or postconcussion syndrome should not be cleared for participation until all symptoms have resolved.<sup>29</sup> Neuroimaging is generally not needed. Formal balance testing, such as the Balance Error Scoring System ([http://www.glat.org/documents/filelibrary/glat\\_2014\\_presentations/BESSProtocol\\_E5D9286115A3C.pdf](http://www.glat.org/documents/filelibrary/glat_2014_presentations/BESSProtocol_E5D9286115A3C.pdf)) and neuropsychologic testing, can help inform decisions about when to return to play.<sup>30</sup> Disqualification for athletes with a history of frequent or severe concussions is controversial.<sup>31</sup>

### HEMATOLOGIC DISORDERS

Consensus guidelines from the National Hemophilia Foundation advise that athletes with bleeding disorders such as hemophilia be restricted from contact or collision sports.<sup>32</sup> Athletes with von Willebrand disease also may be restricted, depending on the subtype.<sup>33</sup> Although persons with sickle cell disease are functionally limited to low-intensity activities, those with sickle cell trait may participate in all activities.<sup>34</sup> Athletes with sickle cell trait may experience exertional sickling in

## BEST PRACTICES IN PREVENTIVE MEDICINE: RECOMMENDATIONS FROM THE CHOOSING WISELY CAMPAIGN

| Recommendation                                                                                              | Sponsoring organization                                                  |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| Do not order annual electrocardiography or any other cardiac screening for asymptomatic, low-risk patients. | American Academy of Family Physicians and American College of Physicians |
| Do not screen adolescents for scoliosis.                                                                    | American Academy of Family Physicians                                    |

Source: For more information on the Choosing Wisely Campaign, see <http://www.choosingwisely.org>. For supporting citations and to search Choosing Wisely recommendations relevant to primary care, see <http://www.aafp.org/afp/recommendations/search.htm>.

## Preparticipation Sports Evaluation

MATHEW J. DEVINE, DO, is an assistant professor in the Department of Family Medicine at the University of Rochester Medical Center.

JASKARAN SINGH, MD, is in private practice in Brampton, Ontario. At the time this article was written, he was a resident in the Department of Family Medicine at the University of Rochester Medical Center.

MICHAEL MENDOZA, MD, MPH, MS, is an assistant professor in the Department of Family Medicine at the University of Rochester Medical Center.

Address correspondence to Mark H. Mirabelli, MD, University of Rochester, 601 Elmwood Ave., Box 665, Rochester, NY 14642 (e-mail: [mark\\_mirabelli@urmc.rochester.edu](mailto:mark_mirabelli@urmc.rochester.edu)). Reprints are not available from the authors.

conjunction with other risk factors such as elevation, dehydration, or illness. In 2010, the National Collegiate Athletic Association (NCAA) mandated that the sickle cell trait status of all incoming athletes must be established by the time of the PPE; however, athletes are allowed to decline screening.<sup>5</sup> Sickle cell trait is associated with 2% of deaths in NCAA football players.<sup>35</sup>

### EATING DISORDERS, PSYCHIATRIC DISORDERS, AND DRUG ABUSE

Athletes in weight-sensitive sports (e.g., boxing, wrestling) and aesthetic sports (e.g., diving, figure skating, dance) are at risk of eating disorders and general disordered eating.<sup>36</sup> In females, disordered eating and excessive exercise may lead to low body mass index, menstrual irregularity, and low bone mineral density (i.e., the female athlete triad). These patients should be engaged in a multidisciplinary treatment program with further risk stratification before return to sport.<sup>36</sup> Athletes with untreated mental illness should receive treatment and be stabilized before resuming athletic participation. Athletes with identified drug abuse should also receive treatment before returning to sport.

### Laboratory and Imaging Studies

Laboratory and imaging studies should be used as an extension of the history and physical examination when additional information is needed to evaluate a concern. Screening blood and urine tests are not recommended for asymptomatic athletes.<sup>37</sup> Athletes with previously treated or chronic conditions may require further testing.<sup>11,38</sup>

**Data Sources:** We searched the Cochrane database, Medline, and Essential Evidence Plus with the key words PPE, preparticipation physical exam, preseason physical, and sports clearance. The search was not limited by study type. Search dates: April 24, 2014, through April 25, 2015.

### The Authors

MARK H. MIRABELLI, MD, is an assistant professor in the Departments of Orthopaedics, Family Medicine, and Physical Medicine and Rehabilitation at the University of Rochester (N.Y.) Medical Center.

### REFERENCES

- Patel DR, Greydanus DE. Sport participation by physically and cognitively challenged young athletes. *Pediatr Clin North Am*. 2010;57(3):795-817.
- Bernhardt DT, Roberts WO; American Academy of Pediatrics. *PPE: Preparticipation Physical Evaluation*. 4th ed. Elk Grove Village, Ill.: American Academy of Pediatrics; 2010.
- Carek PJ, Futrell M. Athletes' view of the preparticipation physical examination. Attitudes toward certain health screening questions. *Arch Fam Med*. 1999;8(4):307-312.
- Mick TM, Dimeff RJ. What kind of physical examination does a young athlete need before participating in sports? *Cleve Clin J Med*. 2004;71(7):587-597.
- Klossner D; National Collegiate Athletic Association. 2013-14 NCAA Sports Medicine Handbook. 24th ed. <http://www.ncaa.org/sites/default/files/SMHB%20Mental%20Health%20Interventions.pdf>. Accessed February 9, 2015.
- Mitchell JH, Haskell W, Snell P, Van Camp SP. Task Force 8: classification of sports. *J Am Coll Cardiol*. 2005;45(8):1364-1367.
- Kurowski K, Chandran S. The preparticipation athletic evaluation. *Am Fam Physician*. 2000;61(9):2683-2690.
- Mayer F, Bonaventura K, Cassel M, et al. Medical results of preparticipation examination in adolescent athletes. *Br J Sports Med*. 2012;46(7):524-530.
- Diokno E, Rowe D. Medical and orthopedic conditions and sports participation. *Pediatr Clin North Am*. 2010;57(3):839-847.
- Maron BJ, Thompson PD, Ackerman MJ, et al. Recommendations and considerations related to preparticipation screening for cardiovascular abnormalities in competitive athletes: 2007 update: a scientific statement from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism. *Circulation*. 2007;115(12):1643-1655.
- Lombardo JA, Badolato SK. The preparticipation physical examination. *Clin Cornerstone*. 2001;3(5):10-25.
- Maron BJ, Zipes DP. 36th Bethesda Conference: eligibility recommendations for competitive athletes with cardiovascular abnormalities. *J Am Coll Cardiol*. 2005;45(8):1311-1375.
- Bille K, Figueiras D, Schamasch P, et al. Sudden cardiac death in athletes: the Lausanne Recommendations. *Eur J Cardiovasc Prev Rehabil*. 2006;13(6):859-875.
- Chaitman BR. An electrocardiogram should not be included in routine preparticipation screening of young athletes. *Circulation*. 2007;116(22):2610-2614.
- Myerburg RJ, Vetter VL. Electrocardiograms should be included in preparticipation screening of athletes. *Circulation*. 2007;116(22):2616-2626.



## Preparticipation Sports Evaluation

16. Corrado D, Basso C, Pavei A, Michieli P, Schiavon M, Thiene G. Trends in sudden cardiovascular death in young competitive athletes after implementation of a preparticipation screening program. *JAMA*. 2006; 296(13):1593-1601.
17. Thompson PD, Franklin BA, Balady GJ, et al. Exercise and acute cardiovascular events placing the risks into perspective: a scientific statement from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism and the Council on Clinical Cardiology. *Circulation*. 2007;115(17):2358-2368.
18. Fudge J, Harmon KG, Owens DS, et al. Cardiovascular screening in adolescents and young adults: a prospective study comparing the Preparticipation Physical Evaluation Monograph 4th Edition and ECG. *Br J Sports Med*. 2014;48(15):1172-1178.
19. Sharma S, Merghani A, Gati S. Cardiac screening of young athletes prior to participation in sports: difficulties in detecting the fatally flawed among the fabulously fit. *JAMA Intern Med*. 2015;175(1):125-127.
20. Maron BJ, Friedman RA, Kligfield P, et al. Assessment of the 12-lead electrocardiogram as a screening test for detection of cardiovascular disease in healthy general populations of young people (12-25 years of age): a scientific statement from the American Heart Association and the American College of Cardiology. *J Am Coll Cardiol*. 2014; 64(14):1479-1514.
21. Ljungqvist A, Jenoure P, Engebretsen L, et al. The International Olympic Committee (IOC) consensus statement on periodic health evaluation of elite athletes, March 2009. *Br J Sports Med*. 2009;43(9):631-643.
22. Harris KM, Sponsel A, Hutter AM Jr, Maron BJ. Brief communication: cardiovascular screening practices of major North American professional sports teams. *Ann Intern Med*. 2006;145(7):507-511.
23. Drezner JA, Ackerman MJ, Anderson J, et al. Electrocardiographic interpretation in athletes: the 'Seattle criteria'. *Br J Sports Med*. 2013; 47(3):122-124.
24. Riding NR, Sheikh N, Adamuz C, et al. Comparison of three current sets of electrocardiographic interpretation criteria for use in screening athletes. *Heart*. 2015;101(5):384-390.
25. McCambridge TM, Benjamin HJ, Brenner JS, et al.; Council on Sports Medicine and Fitness. Athletic participation by children and adolescents who have systemic hypertension. *Pediatrics*. 2010;125(6):1287-1294.
26. Hong G, Mahamitra N. Medical screening of the athlete: How does asthma fit in? *Clin Rev Allergy Immunol*. 2005;29(2):97-111.
27. Howard GM, Radloff M, Sevier TL. Epilepsy and sports participation. *Curr Sports Med Rep*. 2004;3(1):15-19.
28. McCrory P, Meeuwisse W, Aubry M, et al. Consensus statement on concussion in sport—the 4th International Conference on Concussion in Sport held in Zurich, November 2012. *Clin J Sport Med*. 2013; 23(2):89-117.
29. Meehan WP III, Taylor AM, Proctor M. The pediatric athlete: younger athletes with sport-related concussion. *Clin Sports Med*. 2011; 30(1):133-144.
30. Harmon KG, Drezner J, Gammons M, et al. American Medical Society for Sports Medicine position statement: concussion in sport. *Clin J Sport Med*. 2013;23(1):1-18.
31. Sedney CL, Orphanos J, Bailes JE. When to consider retiring an athlete after sports-related concussion. *Clin Sports Med*. 2011;30(1):189-200.
32. National Hemophilia Foundation. Playing it safe: bleeding disorders, sports and exercise. <http://www.hemophilia.org/sites/default/files/document/files/PlayingItSafe.pdf>. Accessed February 9, 2015.
33. Mercer KW, Densmore JJ. Hematologic disorders in the athlete. *Clin Sports Med*. 2005;24(3):599-621.
34. Canadian Hemophilia Society. Passport to well-being: empowering people with bleeding disorders to maximize their quality of life. <http://www.hemophilia.ca/files/Destination%20fitness.pdf>. Accessed December 4, 2013.
35. Harmon KG, Drezner JA, Klossner D, Asif IM. Sickle cell trait associated with a RR of death of 37 times in National Collegiate Athletic Association football athletes: a database with 2 million athlete-years as the denominator. *Br J Sports Med*. 2012;46(5):325-330.
36. De Souza MJ, Nattiv A, Joy E, et al. 2014 Female Athlete Triad Coalition consensus statement on treatment and return to play of the female athlete triad: 1st International Conference held in San Francisco, CA, May 2012, and 2nd International Conference held in Indianapolis, IN, May 2013. *Clin J Sport Med*. 2014;24(2):96-119.
37. Clem KL, Borchers JR. HIV and the athlete. *Clin Sports Med*. 2007; 26(3):413-424.
38. Rice SG; American Academy of Pediatrics Council on Sports Medicine and Fitness. Medical conditions affecting sports participation. *Pediatrics*. 2008;121(4):841-848.

## ■ PREPARTICIPATION PHYSICAL EVALUATION HISTORY FORM

*(Note: This form is to be filled out by the patient and parent prior to seeing the physician. The physician should keep this form in the chart.)*

Date of Exam \_\_\_\_\_

|      |               |
|------|---------------|
| Name | Date of birth |
|------|---------------|

Sex \_\_\_\_\_ Age \_\_\_\_\_ Grade \_\_\_\_\_ School \_\_\_\_\_ Sport(s) \_\_\_\_\_

**Medicines and Allergies:** Please list all of the prescription and over-the-counter medicines and supplements (herbal and nutritional) that you are currently taking

---

---

---

Do you have any allergies?    ☐ Yes    ☐ No    If yes, please identify specific allergy below.

☐ Medicines                      ☐ Pollens                      ☐ Food                      ☐ Stinging Insects

**Explain “Yes” answers below. Circle questions you don’t know the answers to.**

[illegible]

**I hereby state that, to the best of my knowledge, my answers to the above questions are complete and correct.**

Signature of athlete \_\_\_\_\_ Signature of parent/guardian \_\_\_\_\_ Date \_\_\_\_\_

©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

9-2681/0410

**eFigure A.** Preparticipation evaluation history form.

Reprinted with permission from Bernhardt DT, Roberts WO, eds; American Academy of Family Physicians; American Academy of Pediatrics; American College of Sports Medicine; American Medical Society for Sports Medicine; American Orthopaedic Society for Sports Medicine; American Osteopathic Academy of Sports Medicine. PPE: Preparticipation Physical Evaluation. 4th ed. Elk Grove Village, Ill.: American Academy of Pediatrics; 2010:153.

# ■ PREPARTICIPATION PHYSICAL EVALUATION

## THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Exam \_\_\_\_\_

Name \_\_\_\_\_ Date of birth \_\_\_\_\_

Sex \_\_\_\_\_ Age \_\_\_\_\_ Grade \_\_\_\_\_ School \_\_\_\_\_ Sport(s) \_\_\_\_\_

|                                                                                                            |            |           |
|------------------------------------------------------------------------------------------------------------|------------|-----------|
| 1. Type of disability                                                                                      |            |           |
| 2. Date of disability                                                                                      |            |           |
| 3. Classification (if available)                                                                           |            |           |
| 4. Cause of disability (birth, disease, accident/trauma, other)                                            |            |           |
| 5. List the sports you are interested in playing                                                           |            |           |
|                                                                                                            | <b>Yes</b> | <b>No</b> |
| 6. Do you regularly use a brace, assistive device, or prosthetic?                                          |            |           |
| 7. Do you use any special brace or assistive device for sports?                                            |            |           |
| 8. Do you have any rashes, pressure sores, or any other skin problems?                                     |            |           |
| 9. Do you have a hearing loss? Do you use a hearing aid?                                                   |            |           |
| 10. Do you have a visual impairment?                                                                       |            |           |
| 11. Do you use any special devices for bowel or bladder function?                                          |            |           |
| 12. Do you have burning or discomfort when urinating?                                                      |            |           |
| 13. Have you had autonomic dysreflexia?                                                                    |            |           |
| 14. Have you ever been diagnosed with a heat-related (hyperthermia) or cold-related (hypothermia) illness? |            |           |
| 15. Do you have muscle spasticity?                                                                         |            |           |
| 16. Do you have frequent seizures that cannot be controlled by medication?                                 |            |           |

**Explain "yes" answers here**

---



---



---



---



---

**Please indicate if you have ever had any of the following.**

|                                               | <b>Yes</b> | <b>No</b> |
|-----------------------------------------------|------------|-----------|
| Atlantoaxial instability                      |            |           |
| X-ray evaluation for atlantoaxial instability |            |           |
| Dislocated joints (more than one)             |            |           |
| Easy bleeding                                 |            |           |
| Enlarged spleen                               |            |           |
| Hepatitis                                     |            |           |
| Osteopenia or osteoporosis                    |            |           |
| Difficulty controlling bowel                  |            |           |
| Difficulty controlling bladder                |            |           |
| Numbness or tingling in arms or hands         |            |           |
| Numbness or tingling in legs or feet          |            |           |
| Weakness in arms or hands                     |            |           |
| Weakness in legs or feet                      |            |           |
| Recent change in coordination                 |            |           |
| Recent change in ability to walk              |            |           |
| Spina bifida                                  |            |           |
| Latex allergy                                 |            |           |

**Explain "yes" answers here**

---



---



---



---



---

**I hereby state that, to the best of my knowledge, my answers to the above questions are complete and correct.**

Signature of athlete \_\_\_\_\_ Signature of parent/guardian \_\_\_\_\_ Date \_\_\_\_\_

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

**eFigure B. Preparticipation evaluation supplemental history form.**

Reprinted with permission from Bernhardt DT, Roberts WO, eds; American Academy of Family Physicians; American Academy of Pediatrics; American College of Sports Medicine; American Medical Society for Sports Medicine; American Orthopaedic Society for Sports Medicine; American Osteopathic Academy of Sports Medicine. PPE: Preparticipation Physical Evaluation. 4th ed. Elk Grove Village, Ill.: American Academy of Pediatrics; 2010:154.



# ■ PREPARTICIPATION PHYSICAL EVALUATION PHYSICAL EXAMINATION FORM

Name \_\_\_\_\_ Date of birth \_\_\_\_\_

## PHYSICIAN REMINDERS

- Consider additional questions on more sensitive issues
  - Do you feel stressed out or under a lot of pressure?
  - Do you ever feel sad, hopeless, depressed, or anxious?
  - Do you feel safe at your home or residence?
  - Have you ever tried cigarettes, chewing tobacco, snuff, or dip?
  - During the past 30 days, did you use chewing tobacco, snuff, or dip?
  - Do you drink alcohol or use any other drugs?
  - Have you ever taken anabolic steroids or used any other performance supplement?
  - Have you ever taken any supplements to help you gain or lose weight or improve your performance?
  - Do you wear a seat belt, use a helmet, and use condoms?
- Consider reviewing questions on cardiovascular symptoms (questions 5–14).

| EXAMINATION                                                                                                                                                                                                                 |               |                                                               |                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------|------------------------------------------------------------------------------------|
| Height                                                                                                                                                                                                                      | Weight        | <input type="checkbox"/> Male <input type="checkbox"/> Female |                                                                                    |
| BP                                                                                                                                                                                                                          | / ( / )       | Pulse                                                         | Vision R 20/ L 20/ Corrected <input type="checkbox"/> Y <input type="checkbox"/> N |
| <b>MEDICAL</b>                                                                                                                                                                                                              | <b>NORMAL</b> | <b>ABNORMAL FINDINGS</b>                                      |                                                                                    |
| Appearance <ul style="list-style-type: none"> <li>• Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span &gt; height, hyperlaxity, myopia, MVP, aortic insufficiency)</li> </ul> |               |                                                               |                                                                                    |
| Eyes/ears/nose/throat <ul style="list-style-type: none"> <li>• Pupils equal</li> <li>• Hearing</li> </ul>                                                                                                                   |               |                                                               |                                                                                    |
| Lymph nodes                                                                                                                                                                                                                 |               |                                                               |                                                                                    |
| Heart <sup>a</sup> <ul style="list-style-type: none"> <li>• Murmurs (auscultation standing, supine, +/- Valsalva)</li> <li>• Location of point of maximal impulse (PMI)</li> </ul>                                          |               |                                                               |                                                                                    |
| Pulses <ul style="list-style-type: none"> <li>• Simultaneous femoral and radial pulses</li> </ul>                                                                                                                           |               |                                                               |                                                                                    |
| Lungs                                                                                                                                                                                                                       |               |                                                               |                                                                                    |
| Abdomen                                                                                                                                                                                                                     |               |                                                               |                                                                                    |
| Genitourinary (males only) <sup>b</sup>                                                                                                                                                                                     |               |                                                               |                                                                                    |
| Skin <ul style="list-style-type: none"> <li>• HSV, lesions suggestive of MRSA, tinea corporis</li> </ul>                                                                                                                    |               |                                                               |                                                                                    |
| Neurologic <sup>c</sup>                                                                                                                                                                                                     |               |                                                               |                                                                                    |
| <b>MUSCULOSKELETAL</b>                                                                                                                                                                                                      |               |                                                               |                                                                                    |
| Neck                                                                                                                                                                                                                        |               |                                                               |                                                                                    |
| Back                                                                                                                                                                                                                        |               |                                                               |                                                                                    |
| Shoulder/arm                                                                                                                                                                                                                |               |                                                               |                                                                                    |
| Elbow/forearm                                                                                                                                                                                                               |               |                                                               |                                                                                    |
| Wrist/hand/fingers                                                                                                                                                                                                          |               |                                                               |                                                                                    |
| Hip/thigh                                                                                                                                                                                                                   |               |                                                               |                                                                                    |
| Knee                                                                                                                                                                                                                        |               |                                                               |                                                                                    |
| Leg/ankle                                                                                                                                                                                                                   |               |                                                               |                                                                                    |
| Foot/toes                                                                                                                                                                                                                   |               |                                                               |                                                                                    |
| Functional <ul style="list-style-type: none"> <li>• Duck-walk, single leg hop</li> </ul>                                                                                                                                    |               |                                                               |                                                                                    |

<sup>a</sup>Consider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam.

<sup>b</sup>Consider GU exam if in private setting. Having third party present is recommended.

<sup>c</sup>Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion.

- ☐ Cleared for all sports without restriction
- ☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for \_\_\_\_\_

- ☐ Not cleared
- ☐ Pending further evaluation
- ☐ For any sports
- ☐ For certain sports \_\_\_\_\_
- Reason \_\_\_\_\_

Recommendations \_\_\_\_\_

**I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, the physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/guardians).**

Name of physician (print/type) \_\_\_\_\_ Date \_\_\_\_\_

Address \_\_\_\_\_ Phone \_\_\_\_\_

Signature of physician \_\_\_\_\_, MD or DO

©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HE0503

9-2681/0410

## Figure C. Preparticipation evaluation physical examination form.

Reprinted with permission from Bernhardt DT, Roberts WO, eds; American Academy of Family Physicians; American Academy of Pediatrics; American College of Sports Medicine; American Medical Society for Sports Medicine; American Orthopaedic Society for Sports Medicine; American Osteopathic Academy of Sports Medicine. PPE: Preparticipation Physical Evaluation. 4th ed. Elk Grove Village, Ill.: American Academy of Pediatrics; 2010:155.

# ■ PREPARTICIPATION PHYSICAL EVALUATION CLEARANCE FORM

Name \_\_\_\_\_ Sex ☐ M ☐ F Age \_\_\_\_\_ Date of birth \_\_\_\_\_

☐ Cleared for all sports without restriction

☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for \_\_\_\_\_

☐ Not cleared

☐ Pending further evaluation

☐ For any sports

☐ For certain sports \_\_\_\_\_

Reason \_\_\_\_\_

Recommendations \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, the physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/guardians).**

Name of physician (print/type) \_\_\_\_\_ Date \_\_\_\_\_

Address \_\_\_\_\_ Phone \_\_\_\_\_

Signature of physician \_\_\_\_\_, MD or DO

## EMERGENCY INFORMATION

Allergies \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Other information \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

## eFigure D. Preparticipation evaluation clearance form.

Reprinted with permission from Bernhardt DT, Roberts WO, eds; American Academy of Family Physicians; American Academy of Pediatrics; American College of Sports Medicine; American Medical Society for Sports Medicine; American Orthopaedic Society for Sports Medicine; American Osteopathic Academy of Sports Medicine. PPE: Preparticipation Physical Evaluation. 4th ed. Elk Grove Village, Ill.: American Academy of Pediatrics; 2010:156.

Copyright of American Family Physician is the property of American Academy of Family Physicians and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.